

Aquafil FlexiShower Single-sided

Artwork Instructions

- Create your artwork using CMYK colours.
- Ensure images and rasterised text are 300 dpi when placed at 100%.
- Keep all other artwork or logo's in vector format.
- Embed all linked graphics, ensuring they are at least 300dpi.
- Convert all fonts to outlines.
- Turn off template guide layer.
- Save the artwork in .pdf.



Artwork Safe Area (place all text and elements in this area)




Artwork Bleed (this will get cut off)



No Print Area (outlets or other components will cover artwork)







A diagram of a rectangular panel. The panel is light gray and is surrounded by a white border with diagonal gray hatching. A horizontal red double-headed arrow spans the width of the panel, with the text '286mm' above it. A vertical red double-headed arrow spans the height of the panel, with the text '125mm' to its left. The text 'VISIBLE ARTWORK' is written in red, uppercase letters, centered horizontally and positioned above the panel's height dimension. The text 'Front - Mid panel' is written in red, title case, centered within the panel.

286mm

VISIBLE ARTWORK

Front - Mid panel

125mm

VISIBLE
ARTWORK

286mm

VISIBLE ARTWORK

Front - Base panel

600mm

VISIBLE ARTWORK

Front - Kick panel

286mm

VISIBLE ARTWORK

Aquafil
by Civiq.

100mm

VISIBLE
ARTWORK

286mm

VISIBLE ARTWORK



125mm

VISIBLE
ARTWORK

Rear - Mid panel

286mm

VISIBLE ARTWORK

Rear - Base panel

600mm

VISIBLE ARTWORK

Rear - Kick panel

286mm

VISIBLE ARTWORK

Aquafil
by Civiq.

100mm

VISIBLE
ARTWORK